



A40

一体型 3°



■标准附属品
●冷却液导管(固定式)→P.186

■备考
●可对应可动式冷却液导管→P.186

■注意事项
●刀具安装…插入刀具时,请务必将刀具插入比安全记号更深的位置。

壁厚
安全记号
最短夹持长度
刀具最大插入长度

HEATROBO电磁 1200S
(HRD-01S-230AS)
电磁式加热器对应表

[○] 可加热 [×] 不可加热

型号	φD	φC	t	L	M	L1	φC1	φC2	H	h	kg	N	S	缩略图	
A40-SLSA3- 60	3	6	1.5	60	22	18	8.3	20	9	44	0.2	1.3	4.8	○	<u>1</u>
- 65-M22				65	23	25				78					
- 85-M42				85	42	10.4	64	3.2		9.1					
-100-M42				100	38	78	3.3				9.3				
-SLRA3- 65-M22	3	7.5	2.25	65	22	23	9.8	25	9	44	0.3	3	2.7	○	<u>5</u>
- 85-M42				85	42	11.9				64					
-SLFB3- 65-M22	3	9.5	3.25	65	22	23	11.8	25	9	44	0.3	3	1.2	○	<u>7</u>
- 85-M42				85	42	13.9				64					
A40-SLSA4- 60	4	7	1.5	60	22	18	9.3	20	12	44	0.2	1.4	3.8	○	<u>9</u>
- 65-M22				65	23	25				78					
- 80				80	42	18	11.4	20		64	0.2	1.4	7.5		
- 85-M42				85	23	25									
-100-M42				100	38	78	3.5	7.4							
-SLRA4- 65-M22	4	10	3	65	22	23	12.3	25	12	44	0.3	3.1	1.7	○	<u>14</u>
- 85-M42				85	42	14.4				64					
-SLFB4- 65-M22	4	12	4	65	22	23	14.3	25	12	44	0.3	3.2	1.3	○	<u>16</u>
- 85-M42				85	42	16.4				64					
A40-SLSA6- 65-M22	6	9	1.5	65	22	23	11.3	25	18	44	0.3	3.2	2.3	○	<u>18</u>
- 80				80	42	18				13.4					
- 85-M42				85	23	25	64	0.3		3.9	4.8				
-100-M42				100	38	78	4	5.1							
-SLRA6- 60	6	12	3	60	22	18	14.3	26	18	39	0.3	1.4	1.3	○	<u>22</u>
- 65-M22				65	23	25				44					
- 85-M42				85	42	16.4	64	3.9		2.4					
-SLFB6- 70-M22	6	14	4	70	22	28	16.3	32	18	48	0.4	4.1	1	○	<u>25</u>
- 90-M42				90	42	18.4				68					
A40-SLSA8- 65-M22	8	11	1.5	65	22	23	13.3	25	24	44	0.3	3.2	1.6	○	<u>27</u>
- 85-M42				85	42	23				15.4					
-100-M42				100	38	78	4.4	3.8							
-SLRA8- 65-M22	8	14	3	65	22	23	16.3	25	24	44	0.3	3.2	1.1	○	<u>30</u>
- 85-M42				85	42	18.4				64					
-SLFB8- 70-M22	8	18	5	70	22	28	20.3	32	24	48	0.4	4.1	0.7	×	<u>32</u>
- 90-M42				90	42	22.4				68					
A40-SLSA10- 65-M22	10	13	1.5	65	22	23	15.3	25	30	44	0.3	3	1.2	○	<u>34</u>
- 85-M42				85	42	17.4				64					
- 90				90	28	26	1.9								
-100-M42				100	38	25	78	4.7		3					



型号	φD	φC	t	L	M	L ₁	φC ₁	φC ₂	H	h	Kg	N	S	HRD-01S	规格图	
A40-SLRA10- 65	10	16	3	65	22	23	18.3	26	25	44	0.3	1.6	0.9	○	38	
- 65-M22							25	30	3							1
- 90-M42				90	42	28	20.4	32								
-SLFB10- 70-M22	10	22	6	70	22	28	24.3	32	30	48	0.4	3.9	0.6	×	41	
- 90-M42				90	42		26.4		68	0.5	5.6	0.9				
A40-SLSA12- 65-M22	12	15	1.5	65	22	23	17.3	25	30	44	0.3	3.3	1.1	○	43	
- 90-M42				90	42	28	19.4	32								68
-SLRA12- 65-M22	12	20	4	65	22	23	22.3	25	30	44	0.3	3.3	0.8	○	45	
-SLFB12- 70-M22	12	26	7	70	22	28	28.3	32	30	48	0.4	4.2	0.6	×	46	
A40-SLRA16- 65-M22	16	26	5	65	22	23	28.3	33.5	32	43	0.4	2	0.5	○	47	
A40-SLRA20- 70-M50	20	32	6	70	50	-	33.5	-	38	48	0.4	2.4	0.6	○	48	



■ 主轴锥孔用 清洁工具
STAR DUST

型号
CLT-A40-G2

● P.194










MAKINO
N2-5XA

S=1:4










φ3

<p>A40-SLSA3-60</p>	<p>A40-SLSA3-65-M22</p>	<p>A40-SLSA3-85-M42</p>	<p>A40-SLSA3-100-M42</p>
<p>A40-SLRA3-65-M22</p>	<p>A40-SLRA3-85-M42</p>	<p>A40-SLFB3-65-M22</p>	<p>A40-SLFB3-85-M42</p>

φ 4




φ 6




φ8


A40-SLSA8-65-M22




A40-SLSA8-85-M42




A40-SLSA8-100-M42




A40-SLRA8-65-M22




A40-SLRA8-85-M42



A40-SLFB8-70-M22




A40-SLFB8-90-M42




φ10


A40-SLSA10-65-M22




A40-SLSA10-85-M42




A40-SLSA10-90




A40-SLSA10-100-M42




A40-SLRA10-65




A40-SLRA10-65-M22




A40-SLRA10-90-M42



A40-SLFB10-70-M22




A40-SLFB10-90-M42




$\phi 12$


A40-SLSA12-65-M22




A40-SLSA12-90-M42




A40-SLRA12-65-M22




A40-SLFB12-70-M22

 $\phi 16$

A40-SLRA16-65-M22

 $\phi 20$

A40-SLRA20-70-M50



思诚资源
www.sczy.com
高端制造服务商

深圳思诚资源科技有限公司
SHENZHEN SCZY TECHNOLOGY CO.,LTD.

电话/Tel: 0769-22186189

网址/Web: www.sczy.com

邮箱/E-mail: sales@sczy.com

地址/Adr: 广东省东莞市长安镇长青南路1号万科中心1906



微信公众平台